



# RELIABLE PROTECTION

# BUCTRIL<sup>®</sup> M

Year in, year out, Buctril<sup>®</sup> M continues to deliver. More than an effective resistance management tool, the Group 6 technology in Buctril M provides cereal growers with a quick knockdown and superior control of 30 of the most problematic broadleaf weeds across the Prairies.

## APPLICATION

For best results apply Buctril M on spring wheat, barley, oats and rye anytime from the 2 leaf stage through to flag leaf stage. Fine to medium droplet size is important for optimum coverage.

Bromoxynil Group 6  
MCPA Group 4

BROADLEAF CONTROL



The Trusted Name

## THE BUCTRIL M ADVANTAGE

- Controls 30 broadleaf weeds
- Excellent crop safety
- No re-cropping restrictions
- Registered for ground and aerial application
- Effective resistance management - contains Group 4 (MCPA) and Group 6 (bromoxynil) active ingredients
- Dual modes of action provide both systemic and contact activity
- Tank-mix friendly, Buctril M is compatible with many of the leading herbicide technologies available today. Consult product label for a complete list of registered tank mixes

## CROPS FOR USE

CROPS
Barley
Canary seed
Corn
Flax
Oats
Rye (fall)
Seedling grasses
Wheat

## ACTIVE INGREDIENTS

Bromoxynil – Group 6

MCPA – Group 4

## RATE

Registered application rate: 0.4 L/ac.

One 8 L jug treats 20 acres

One 128 L shuttle treats 320 acres

One 400 L tote treats 1,000 acres

## WEEDS CONTROLLED

WEEDS
American nightshade*
Ball mustard*
Bluebur*
Canada thistle (top growth suppression)
Cocklebur*
Common buckwheat (up to 8 leaf stage)
Common groundsel (up to 8 leaf stage)
Common ragweed (up to 8 leaf stage)
Cow cockle*
Flixweed*
Green smartweed*
Kochia*
Lady's-thumb*
Lamb's-quarters (up to 8 leaf stage)
Night-flowering catchfly*
Pale smartweed*
Perennial sow thistle
Redroot Pigweed*
Russian thistle*
Scentless chamomile*
Shepherd's-purse*
Stinkweed (up to 8 leaf stage)
Tartary buckwheat (up to 8 leaf stage)
Velvetleaf (up to 8 cm)
Volunteer canola*
Volunteer sunflower*
Wild buckwheat (up to 8 leaf stage)
Wild mustard (up to 8 leaf stage)
Wild tomato (up to 8 leaf stage)
Wormseed mustard (up to 8 leaf stage)

\*Up to 4 leaf stage



**Bayer CropScience**

BayerCropScience.ca or 1 888-283-6847  
or contact your Bayer CropScience representative.

C-47-04/15-10345600-E