

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

1/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name DECIS® 100 EC INSECTICIDE
Product code (UVP) 05943388
SDS Number 102000002876
PCP Registration No. 33700

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc
#200, 160 Quarry Park Blvd, SE
Calgary, Alberta T2C 3G3
Canada
Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Aspiration hazard, Serious eye damage: Category 1
Acute toxicity(Oral, Inhalation): Category 4
Specific target organ toxicity - single exposure: Category 3
Flammable liquids: Category 3

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Danger

Hazard statements

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

2/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

May be fatal if swallowed and enters airways.
Causes serious eye damage.
Harmful if swallowed or if inhaled.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Flammable liquid and vapour.

Precautionary statements

Wear protective gloves/ eye protection/ face protection.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Avoid breathing mist/ spray.
Use only outdoors or in a well-ventilated area.
Keep away from open flames/hot surfaces. - No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ ventilating/ lighting/ equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
IF SWALLOWED: Immediately call a POISON CENTER/doctor/ physician.
Do NOT induce vomiting.
Rinse mouth.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor/ physician.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Keep cool.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Deltamethrin	52918-63-5	10.50
2-Methylpropan-1-ol	78-83-1	1.3
Cyclohexanone	108-94-1	36.8
Hydrocarbons, C9, aromatics	64742-95-6	44.0
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	2.9

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

3/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms	Local:; Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing Systemic:; discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy, Dizziness
-----------------	---

Indication of any immediate medical attention and special treatment needed

Risks	This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
Treatment	Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae. In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
10200002876

4/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point 40 °C

Auto-ignition temperature No data available

Lower explosion limit No data available

Upper explosion limit No data available

Explosivity Not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Remove all sources of ignition. Keep unauthorized people away. Isolate hazard area.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

5/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

- Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.
- Advice on protection against fire and explosion** Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge. Vapours may form explosive mixture with air.
- Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.
- Conditions for safe storage, including any incompatibilities**
- Requirements for storage areas and containers** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Store in original container. Keep away from direct sunlight.
- Advice on common storage** Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.01 mg/m ³ (TWA)		OES BCS*
2-Methylpropan-1-ol	78-83-1	152 mg/m ³ /50 ppm (TWA)	07 2009	CAD AB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	09 2011	CAD BC OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	03 2011	CAD MB OEL
2-Methylpropan-1-ol	78-83-1	50 ppm (TWA)	11 2010	CAD ON OEL
2-Methylpropan-1-ol	78-83-1	60 ppm (15 MIN ACL)	05 2009	CAD SK OEL
2-Methylpropan-1-ol	78-83-1	50 ppm	05 2009	CAD SK

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

6/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

		(8 HR ACL)		OEL
2-Methylpropan-1-ol	78-83-1	152 mg/m ³ /50 ppm (TWA)	11 2011	OEL (QUE)
Cyclohexanone	108-94-1	80 mg/m ³ /20 ppm (TWA)	07 2009	CAD AB OEL
Cyclohexanone	108-94-1	200 mg/m ³ /50 ppm (STEL)	07 2009	CAD AB OEL
Cyclohexanone	108-94-1	20 ppm (TWA)	09 2011	CAD BC OEL
Cyclohexanone	108-94-1	50 ppm (STEL)	09 2011	CAD BC OEL
Cyclohexanone	108-94-1	20 ppm (TWA)	03 2011	CAD MB OEL
Cyclohexanone	108-94-1	50 ppm (STEL)	03 2011	CAD MB OEL
Cyclohexanone	108-94-1	20 ppm (TWA)	11 2010	CAD ON OEL
Cyclohexanone	108-94-1	50 ppm (STEL)	11 2010	CAD ON OEL
Cyclohexanone	108-94-1	20 ppm (8 HR ACL)	05 2009	CAD SK OEL
Cyclohexanone	108-94-1	50 ppm (15 MIN ACL)	05 2009	CAD SK OEL
Cyclohexanone	108-94-1	100 mg/m ³ /25 ppm (TWA)	11 2011	OEL (QUE)

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

7/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

Eye protection	Use tightly sealed goggles and face protection.
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	Liquid, clear
Colour	light yellow to brown
Odour	aromatic
Odour Threshold	No data available
pH	4.5 - 7.0 (1 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	40 °C
Flammability	No data available
Auto-ignition temperature	No data available
Minimum ignition energy	Not applicable
Self-accelerating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 0.95 g/cm ³ (20 °C)
Water solubility	miscible
Partition coefficient: n-octanol/water	Deltamethrin: log Pow: 6.4 (25 °C) Solvent Naphtha (petroleum), light aromatic:

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

8/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

	Not applicable
Viscosity, dynamic	No data available
Viscosity, kinematic	ca. 1.77 mm ² /s (40 °C)
Surface tension	ca. 29.8 mN/m (40 °C)
Oxidizing properties	No data available
Explosivity	Not applicable
Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Inhalation, Ingestion
Immediate Effects	
Eye	Corrosive to eyes.
Skin	May cause irritation.
Ingestion	Harmful or fatal if swallowed.
Inhalation	Harmful if inhaled.
Information on toxicological effects	
Acute oral toxicity	LD50 (Rat) 633 mg/kg
Acute inhalation toxicity	ATE (Mix) 2.4 mg/l Calculation method
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

9/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

Serious eye damage/eye irritation Severe eye irritation. (Rabbit)

Respiratory or skin sensitisation Skin: Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Buehler test

Assessment STOT Specific target organ toxicity – single exposure

Deltamethrin: Based on available data, the classification criteria are not met.
Solvent Naphtha (petroleum), light aromatic: May cause respiratory irritation., Solvent Naphtha (petroleum), light aromatic: May cause drowsiness or dizziness.

Assessment STOT Specific target organ toxicity – repeated exposure

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient neurobehavioral effects typical for pyrethroid neurotoxicity.
Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

Assessment mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Solvent Naphtha (petroleum), light aromatic is not considered mutagenic.

Assessment carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.
Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

ACGIH

Cyclohexanone	108-94-1	Group A3
---------------	----------	----------

NTP

None.

IARC

Deltamethrin	52918-63-5	Overall evaluation: 3
Cyclohexanone	108-94-1	Overall evaluation: 3

OSHA

None.

Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.
Solvent Naphtha (petroleum), light aromatic: Based on available data, the classification criteria are not met.

Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.
Solvent Naphtha (petroleum), light aromatic: This information is not available.

Aspiration hazard

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

10/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

May be fatal if swallowed and enters airways.

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.0051 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.00078 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 29.5 mg/l Biomass; Exposure time: 72 h EC50 (Raphidocelis subcapitata (freshwater green alga)) > 72.6 mg/l Growth rate; Exposure time: 72 h
Biodegradability	Deltamethrin: Not rapidly biodegradable Solvent Naphtha (petroleum), light aromatic: rapidly biodegradable
Koc	Deltamethrin: Koc: 10240000
Bioaccumulation	Deltamethrin: Bioconcentration factor (BCF) 1,400 Does not bioaccumulate. Solvent Naphtha (petroleum), light aromatic: No data available
Mobility in soil	Deltamethrin: Immobile in soil Solvent Naphtha (petroleum), light aromatic: Slightly mobile in soils
Results of PBT and vPvB assessment	
PBT and vPvB assessment	Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Solvent Naphtha (petroleum), light aromatic: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

11/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

disposal of wastes, including equipment wash water.
Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.
Do not apply when weather conditions favor runoff or drift.
Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.
Notify state/provincial or local authorities and Bayer immediately if you observe any adverse environmental effects due to the use of this product.
Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product

Follow container label instructions for disposal of wastes generated during use in compliance with the product label.
Dispose in accordance with all local, state/provincial and federal regulations.

Contaminated packaging

Do not re-use empty containers.
Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.
If burned, stay out of smoke.
Consult state and local regulations regarding the proper disposal of container.
Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number	1993
Labels	3
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM) LIGHT AROMATIC)

49CFR

UN number	1993
Class	3
Packaging group	III
Proper shipping name	FLAMMABLE LIQUIDS, N.O.S. (SOLVENT NAPHTHA (PETROLEUM) LIGHT AROMATIC, CYCLOHEXANONE)

RQ Reportable Quantity is reached with 13,586 lb of product.

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

12/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

IMDG

UN number	1993
Class	3
Packaging group	III
Marine pollutant	YES
Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM) LIGHT AROMATIC SOLUTION)

IATA

UN number	1993
Class	3
Packaging group	III
Environm. Hazardous Mark	NO
Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, SOLVENT NAPHTHA (PETROLEUM) LIGHT AROMATIC SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information	In accordance with TDG regulations 3.6(3) and 4.22 this product does not require marine pollutant safety marks or shipping documentation reference when transported on land by road or rail.
---------------------	--

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 33700

PMRA Information:

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

SAFETY DATA SHEET



DECIS® 100 EC INSECTICIDE

Version 2.0 / CDN
102000002876

13/13
Revision Date: 04/27/2021
Print Date: 04/27/2021

Signal word: Danger!

Hazard statements: Poison.
Corrosive to eyes.
Harmful or fatal if swallowed.
Harmful if inhaled.
May cause skin irritation.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 2 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 2 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 12. Ecological information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 04/27/2021

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.