

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
102000022382

1/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name EVERGOL® ENERGY
Product code (UVP) 84921041
SDS Number 102000022382
PCP Registration No. 30364

Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment, Fungicide
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc
#200, 160 Quarry Park Blvd, SE
Calgary, Alberta T2C 3G3
Canada
Responsible Department Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.
Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

This material is not hazardous under the criteria of Part 2 of the Hazardous Products Regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Prothioconazole	178928-70-6	7.18
Penflufen	494793-67-8	3.59
Metalaxyl	57837-19-1	5.74

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
10200022382

2/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Water spray, Foam, Carbon dioxide (CO ₂), Dry chemical
Unsuitable	None known.

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point No flash point - Determination conducted up to the boiling point.

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
102000022382

3/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

Auto-ignition temperature	445 °C / 833 °F
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
102000022382

4/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m ³ (SK-ABS)		OES BCS*
Penflufen	494793-67-8	1.1 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance beige

Physical State suspension

Odor musty

Odour Threshold No data available

pH 6.0 - 8.0 at 100 % (23 °C)

Vapor Pressure No data available

Vapor Density (Air = 1) No data available

Density ca. 1.07 g/cm³ at 20 °C

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
102000022382

5/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

Evaporation rate	No data available
Boiling Point	No data available
Melting / Freezing Point	No data available
Water solubility	dispersible
Minimum Ignition Energy	Not applicable
Decomposition temperature	Not applicable
Partition coefficient: n-octanol/water	Not applicable
Flash point	No flash point - Determination conducted up to the boiling point.
Auto-ignition temperature	445 °C / 833 °F
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	Not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Skin Absorption, Ingestion, Eye contact, Inhalation
Immediate Effects	
Skin	Harmful if absorbed through skin.
Ingestion	Harmful if swallowed.

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
102000022382

6/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2.205 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration.
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	No eye irritation (Rabbit)
Respiratory or skin sensitisation	Non-sensitizing. (Mouse)

Assessment STOT Specific target organ toxicity – repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies.
Penflufen did not cause specific target organ toxicity in experimental animal studies.
Metalaxyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Penflufen was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.
Penflufen caused at high dose levels an increased incidence of tumours in rats in the following organ(s): hematopoietic system, ovaries, Brain. The mechanism that triggers these tumours is not relevant to humans.
Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
102000022382

7/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

Penflufen did not cause reproductive toxicity in a two-generation study in rats.
Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.
Penflufen did not cause developmental toxicity in rats and rabbits.
Metalaxyl did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient prothioconazole.

LC50 (Cyprinus carpio (Carp)) 0.103 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient penflufen.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 1.3 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient prothioconazole.

EC50 (Daphnia magna (Water flea)) > 4.66 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient penflufen.
No acute toxicity was observed at its limit of water solubility.

Toxicity to aquatic plants

IC50 (Pseudokirchneriella subcapitata (microalgae)) 2.18 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient prothioconazole.

EC50 (Pseudokirchneriella subcapitata (microalgae)) > 5.1 mg/l
Growth rate; Exposure time: 96 h
The value mentioned relates to the active ingredient penflufen.
No acute toxicity was observed at its limit of water solubility.

Biodegradability

Prothioconazole:
Not rapidly biodegradable
Penflufen:
Not rapidly biodegradable
Metalaxyl:
Not rapidly biodegradable

Koc

Prothioconazole: Koc: 1765; log Koc: < 3
Penflufen: Koc: 280
Metalaxyl: Koc: 163

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
102000022382

8/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

Bioaccumulation	Prothioconazole: Bioconcentration factor (BCF) 19 Does not bioaccumulate. Penflufen: Bioconcentration factor (BCF) 142 Does not bioaccumulate. Metalaxyl: Bioconcentration factor (BCF) < 7 Does not bioaccumulate.
Mobility in soil	Prothioconazole: Slightly mobile in soils Penflufen: Moderately mobile in soils Metalaxyl: Moderately mobile in soils
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Do not contaminate water, food, or feed by disposal. Dispose in accordance with all local, state/provincial and federal regulations. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number	3082
Labels	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE, PENFLUFEN)

49CFR Not dangerous goods / not hazardous material

IMDG

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
102000022382

9/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

UN number **3082**
Class **9**
Packaging group **III**
Marine pollutant **YES**
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE, PENFLUFEN SOLUTION)**

IATA

UN number **3082**
Class **9**
Packaging group **III**
Environm. Hazardous Mark **YES**
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE, PENFLUFEN SOLUTION)**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 30364

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens

SAFETY DATA SHEET



EVERGOL® ENERGY

Version 2.0 / CDN
102000022382

10/10
Revision Date: 08/24/2018
Print Date: 08/24/2018

OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 0 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 0 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current Canadian WHMIS standard (WHMIS 2015).

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 08/24/2018

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.