

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

1/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

**Trade name** LAUDIS™ HERBICIDE  
**Product code (UVP)** 79112912  
**SDS Number** 102000017388  
**PCP Registration No.** 31721

#### Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide  
**Restrictions on use** See product label for restrictions.

#### Information on supplier

**Supplier** Bayer CropScience Inc  
#200, 160 Quarry Park Blvd, SE  
Calgary, Alberta T2C 3G3  
Canada  
**Responsible Department** Email: SDSINFO.BCS-NA@bayer.com

#### Emergency telephone no.

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577  
**Product Information Telephone Number** 1-888-283-6847

### SECTION 2: HAZARDS IDENTIFICATION

#### Classified in accordance with Part 2 of the Hazardous Products Regulations

Reproductive toxicity, Specific target organ toxicity - repeated exposure: Category 2  
Acute toxicity(Oral): Category 4

#### Labelling in accordance with Part 3 of the Hazardous Products Regulations



**Signal word:** Warning

#### Hazard statements

Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

2/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

Harmful if swallowed.

### Precautionary statements

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
Do not breathe spray.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
IF exposed or concerned: Get medical advice/ attention.  
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.  
Rinse mouth.  
Store locked up.  
Dispose of contents/container in accordance with local regulation.

### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.  
No health hazards not otherwise classified.

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Tembotrione	335104-84-2	34.5
ethyl 5,5-diphenyl-2-isoxazoline-3-carboxylate	163520-33-0	17.2
Fatty alcohol ethoxylate	68131-39-5	1.0

---

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

3/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	To date no symptoms are known.
<b>Indication of any immediate medical attention and special treatment needed</b>	
<b>Treatment</b>	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

<b>Suitable</b>	Water spray, Foam, Carbon dioxide (CO <sub>2</sub> ), Dry powder
<b>Unsuitable</b>	High volume water jet

<b>Special hazards arising from the substance or mixture</b>	Dangerous gases are evolved in the event of a fire.
--	---

### Advice for firefighters

<b>Special protective equipment for firefighters</b>	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
--	--

<b>Further information</b>	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	---

<b>Flash point</b>	> 93.4 °C
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Explosivity</b>	Not applicable

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

<b>Precautions</b>	Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.
--------------------	--

### Methods and materials for containment and cleaning up

<b>Methods for cleaning up</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
--------------------------------	---

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

4/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

**Additional advice** Use personal protective equipment. Do not allow product to contact non-target plants. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

#### Conditions for safe storage, including any incompatibilities

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tembotrione	335104-84-2	0.15 mg/m <sup>3</sup> (SK-SEN)		OES BCS*
ethyl 5,5-diphenyl-2-isoxazoline-3-carboxylate	163520-33-0	1 mg/m <sup>3</sup> (SK-SEN)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### Exposure controls

##### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

5/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

<b>Hand protection</b>	Chemical resistant nitrile rubber gloves
<b>Eye protection</b>	Safety glasses with side-shields
<b>Skin and body protection</b>	Wear long-sleeved shirt and long pants and shoes plus socks.
<b>General protective measures</b>	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	white to light yellow
<b>Physical State</b>	suspension
<b>Odor</b>	characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	ca. 3.0 (10 %) (23 °C)
<b>Viscosity, kinematic</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density (Air = 1)</b>	No data available
<b>Density</b>	1.22 g/cm <sup>3</sup> (20 °C)
<b>Evaporation rate</b>	No data available
<b>Boiling Point</b>	No data available
<b>Melting / Freezing Point</b>	No data available
<b>Water solubility</b>	miscible
<b>Minimum Ignition Energy</b>	Not applicable
<b>Decomposition temperature</b>	Stable under normal conditions.
<b>Self-accelerating decomposition temperature (SADT)</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Not applicable
<b>Viscosity</b>	800 - 1,200 mPa.s (20 °C)
<b>Flammability</b>	No data available

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

6/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

---

<b>Flash point</b>	> 93.4 °C
<b>Auto-ignition temperature</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Upper explosion limit</b>	No data available
<b>Explosivity</b>	Not applicable
<b>Particle size</b>	No data available
<b>Other information</b>	Further safety related physical-chemical data are not known.

---

### SECTION 10: STABILITY AND REACTIVITY

#### Reactivity

<b>Thermal decomposition</b>	Stable under normal conditions.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	No data available
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

**Exposure routes** Ingestion, Eye contact, Skin contact

#### Immediate Effects

**Eye** Causes moderate eye irritation.

**Ingestion** Harmful if swallowed.

#### Information on toxicological effects

**Acute oral toxicity** LD50 (female Rat) 1,750 mg/kg

**Acute inhalation toxicity** LC50 (Rat) > 2.1 mg/l  
Exposure time: 4 h  
Determined in the form of liquid aerosol.  
Highest attainable concentration.  
No deaths

**Acute dermal toxicity** LD50 (Rat) > 5,000 mg/kg

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

7/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

<b>Skin corrosion/irritation</b>	Slight irritant effect - does not require labelling. (Rabbit)
<b>Serious eye damage/eye irritation</b>	Mild eye irritation. (Rabbit)
<b>Respiratory or skin sensitisation</b>	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

### Assessment STOT Specific target organ toxicity – single exposure

Tembotrione: Based on available data, the classification criteria are not met.  
Isoxadifen-ethyl: Based on available data, the classification criteria are not met.

### Assessment STOT Specific target organ toxicity – repeated exposure

Tembotrione caused specific target organ toxicity in experimental animal studies in the following organ(s): Eyes, Kidney, Liver.  
Isoxadifen-ethyl did not cause specific target organ toxicity in experimental animal studies.

### Assessment mutagenicity

Tembotrione was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.  
Isoxadifen-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment carcinogenicity

Tembotrione caused an increased incidence of tumours in rats in the following organ(s): Cornea. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.  
Isoxadifen-ethyl was not carcinogenic in lifetime feeding studies in rats and mice.

### ACGIH

None.

### NTP

None.

### IARC

None.

### OSHA

None.

### Assessment toxicity to reproduction

Tembotrione did not cause reproductive toxicity in a two-generation study in rats.  
Isoxadifen-ethyl did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Tembotrione caused developmental toxicity only at dose levels toxic to the dams. Tembotrione caused a delayed ossification of fetuses, an increased incidence of variations. The developmental effects seen with Tembotrione are related to maternal toxicity.  
Isoxadifen-ethyl did not cause developmental toxicity in rats and rabbits.

### Aspiration hazard

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

8/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

Based on available data, the classification criteria are not met.

### Further information

Only acute toxicity studies have been performed on the formulated product.  
The non-acute information pertains to the active ingredient(s).

---

## SECTION 12: ECOLOGICAL INFORMATION

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 5.41 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 33.5 mg/l Exposure time: 48 h
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) 15.4 mg/l Growth rate; Exposure time: 72 h
<b>Biodegradability</b>	Tembotrione: Not rapidly biodegradable Isoxadifen-ethyl: Not rapidly biodegradable
<b>Koc</b>	Tembotrione: Koc: 66 Isoxadifen-ethyl: Koc: 2512
<b>Bioaccumulation</b>	Tembotrione: Does not bioaccumulate. Isoxadifen-ethyl: Does not bioaccumulate.
<b>Mobility in soil</b>	Tembotrione: Mobile in soils Isoxadifen-ethyl: Slightly mobile in soils
<b>Additional ecological information</b>	No other effects to be mentioned.
<b>Environmental precautions</b>	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift or runoff from treated areas may adversely affect non-target plants.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Product** It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.  
Never place unused product down any indoor or outdoor drain.



# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

9/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

**Contaminated packaging** Do not re-use empty containers.  
Triple rinse containers.  
Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning.  
If burned, stay out of smoke.  
Follow advice on product label and/or leaflet.

### SECTION 14: TRANSPORT INFORMATION

#### TDG

UN number	<b>3082</b>
Labels	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEMBOTRIONE, ISOXADIFEN-ETHYL)

#### 49CFR

Not dangerous goods / not hazardous material

#### IMDG

UN number	<b>3082</b>
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEMBOTRIONE, ISOXADIFEN-ETHYL SOLUTION)

#### IATA

UN number	<b>3082</b>
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEMBOTRIONE, ISOXADIFEN-ETHYL SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

**Further Information** Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1.  
This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

10/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

### SECTION 15: REGULATORY INFORMATION

**PCP Registration No.** 31721

#### **PMRA Information:**

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

**Signal word:** Caution!

**Hazard statements:** Harmful if swallowed.  
Causes moderate eye irritation.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

### SECTION 16: OTHER INFORMATION

#### **Abbreviations and acronyms**

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

#### **NFPA 704 (National Fire Protection Association):**

Health - 1      Flammability - 1      Instability - 0      Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

# SAFETY DATA SHEET



## LAUDIS™ HERBICIDE

Version 1.0 / CDN  
102000017388

11/11  
Revision Date: 05/27/2020  
Print Date: 05/27/2020

---

**Reason for Revision:** New Safety Data Sheet.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

**Revision Date:** 05/27/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.