



Material Safety Data Sheet

RAXIL® MD FUNGICIDE

MSDS Number: 102000013084

MSDS Version 2.2

Revision Date: 03/23/2012

Print Date: 11/26/2013

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product name	RAXIL® MD FUNGICIDE
MSDS Number	102000013084
Product code (UVP)	06539181
PCP Registration No.	27692
Product Use	Fungicide

Bayer CropScience Inc
 #200, 160 Quarry Park Blvd, SE
 Calgary, Alberta T2C 3G3
 Canada

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
 For Product Information call: 1-888-283-6847

SECTION 2. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Avoid contact with skin, eyes and clothing. Avoid inhalation of vapour or mist.

Physical State liquid suspension

Odor weak characteristic

Appearance red

Exposure routes Skin contact, Eye contact, Inhalation, Ingestion

Immediate Effects

Eye May cause mild irritation to eyes. Avoid contact with eyes.

skin Irritating to skin. Avoid contact with skin and clothing.

Ingestion Harmful if swallowed. Do not take internally.

Inhalation May cause respiratory tract irritation. Avoid inhalation of vapour or mist.

Chronic or Delayed Long-Term

This product or its components may have target organ effects. This product or its components may have long term (chronic) health effects.



Material Safety Data Sheet

RAXIL® MD FUNGICIDE

MSDS Number: 102000013084

MSDS Version 2.2

Potential Environmental Effect Toxic to fish, aquatic invertebrates and marine/estuarine organisms.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Tebuconazole	107534-96-3	0.48
Metalaxyl	57837-19-1	0.64
1,2-Propanediol	57-55-6	20.00

SECTION 4. FIRST AID MEASURES

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Notes to physician Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5. FIRE FIGHTING MEASURES

Flash point	> 100 °C / 212 °F
Autoignition temperature	no data available
Lower Flammability Limit	no data available



Material Safety Data Sheet

MSDS Number: 102000013084
MSDS Version 2.2

RAXIL® MD FUNGICIDE

Upper Flammability Limit no data available

Fire and Explosion Hazards In the event of fire the following may be released:
Carbon monoxide (CO)
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)

Suitable extinguishing media Foam, Carbon dioxide (CO₂), Dry chemical, Water spray

Fire Fighting Instructions Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7. HANDLING AND STORAGE

Handling procedures Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Storing Procedures Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

Work/Hygienic Procedures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove



Material Safety Data Sheet

RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
MSDS Version 2.2

soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection	Follow all label instructions. Train employees in safe use of the product. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.
Eye/Face Protection	Tightly fitting safety goggles
Hand protection	Chemical resistant nitrile rubber gloves
Body Protection	Wear long-sleeved shirt and long pants and shoes plus socks.
Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Exposure Limits

Tebuconazole	107534-96-3	OES BCS*	TWA	0.2 mg/m3
1,2-Propanediol	57-55-6	CAD ON OEL	TWAEV	50 ppm
		CAD ON OEL	TWAEV	10 mg/m3

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	red
Physical State	liquid suspension
Odor	weak characteristic
pH	6.5 - 8.5 (100 %)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	1.03 g/cm ³ at 20 °C
Evaporation rate	no data available

**Material Safety Data Sheet****RAXIL® MD FUNGICIDE**

MSDS Number: 102000013084

MSDS Version 2.2

Boiling Point	no data available
Melting / Freezing Point	-10 °C / 14 °F
Water solubility	dispersible
Minimum Ignition Energy	no data available
Partition coefficient: n-octanol/water	no data available
Viscosity	4 - 20 mPa.s

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	Heat, flames and sparks.
Incompatibility	Oxidizing agents
Hazardous Decomposition Products	Thermal decomposition Carbon dioxide (CO ₂) Carbon monoxide Nitrogen oxides (NO _x)
Chemical Stability	Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the technical-grade active ingredients, tebuconazole and metalaxyl.

Acute oral toxicity	rat: LD50: > 5,050 mg/kg
Acute dermal toxicity	rabbit: LD50: > 5,050 mg/kg
Acute inhalation toxicity	rat: LC50: > 2.8 mg/l Exposure time: 4 h Determined in the form of liquid aerosol.
	rat: LC50: > 11.2 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Skin irritation	rabbit: No skin irritation
Eye irritation	rabbit: Minimally irritating.



Material Safety Data Sheet

MSDS Number: 102000013084
MSDS Version 2.2

RAXIL® MD FUNGICIDE

Sensitisation guinea pig: Non-sensitizing.

Chronic toxicity Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Metalaxyl caused liver effects in chronic studies in mice, rats and/or dogs.

Assessment Carcinogenicity

Tebuconazole caused an increased incidence of tumours in the liver of mice at high dose levels. The mechanism of tumour formation in the liver of the mice is not considered to be relevant to man.

Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Reproductive toxicity Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to general toxicity.

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

Developmental Toxicity Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Assessment neurotoxicity Metalaxyl neurotoxicity studies are not required at this time.

Mutagenicity Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Metalaxyl was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental precautions Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

Ecological Information Exposed treated seed may be hazardous to birds.



Material Safety Data Sheet

RAXIL® MD FUNGICIDE

MSDS Number: 102000013084
MSDS Version 2.2

1,2-Propanediol

57-55-6

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Metalaxyl

57837-19-1

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1

Flammability - 1

Instability - 0

Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1

Flammability - 1

Physical Hazard - 0

PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes. The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 7: Handling and Storage. Section 16: Other Information.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 03/23/2012

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.