



## Material Safety Data Sheet

### RAXIL® MD FUNGICIDE

MSDS Number: 102000013084

MSDS Version 2.2

Revision Date: 03/23/2012

Print Date: 11/26/2013

## SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

<b>Product name</b>	RAXIL® MD FUNGICIDE
<b>MSDS Number</b>	102000013084
<b>Product code (UVP)</b>	06539181
<b>PCP Registration No.</b>	27692
<b>Product Use</b>	Fungicide

Bayer CropScience Inc  
 #200, 160 Quarry Park Blvd, SE  
 Calgary, Alberta T2C 3G3  
 Canada

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)  
 For Product Information call: 1-888-283-6847

## SECTION 2. HAZARDS IDENTIFICATION

*NOTE: Please refer to Section 11 for detailed toxicological information.*

**Emergency Overview** Caution! Avoid contact with skin, eyes and clothing. Avoid inhalation of vapour or mist.

**Physical State** liquid suspension

**Odor** weak characteristic

**Appearance** red

**Exposure routes** Skin contact, Eye contact, Inhalation, Ingestion

**Immediate Effects**

**Eye** May cause mild irritation to eyes. Avoid contact with eyes.

**skin** Irritating to skin. Avoid contact with skin and clothing.

**Ingestion** Harmful if swallowed. Do not take internally.

**Inhalation** May cause respiratory tract irritation. Avoid inhalation of vapour or mist.

**Chronic or Delayed Long-Term**

This product or its components may have target organ effects. This product or its components may have long term (chronic) health effects.



## Material Safety Data Sheet

### RAXIL® MD FUNGICIDE

MSDS Number: 102000013084

MSDS Version 2.2

**Potential Environmental Effect** Toxic to fish, aquatic invertebrates and marine/estuarine organisms.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Tebuconazole	107534-96-3	0.48
Metalaxyl	57837-19-1	0.64
1,2-Propanediol	57-55-6	20.00

## SECTION 4. FIRST AID MEASURES

<b>General</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Eye</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>skin</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Notes to physician Treatment</b>	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

## SECTION 5. FIRE FIGHTING MEASURES

<b>Flash point</b>	> 100 °C / 212 °F
<b>Autoignition temperature</b>	no data available
<b>Lower Flammability Limit</b>	no data available



## Material Safety Data Sheet

### RAXIL® MD FUNGICIDE

MSDS Number: 102000013084  
MSDS Version 2.2

**Upper Flammability Limit** no data available

**Fire and Explosion Hazards** In the event of fire the following may be released:  
Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)

**Suitable extinguishing media** Foam, Carbon dioxide (CO<sub>2</sub>), Dry chemical, Water spray

**Fire Fighting Instructions** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

## SECTION 7. HANDLING AND STORAGE

**Handling procedures** Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

**Storing Procedures** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

**Work/Hygienic Procedures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove



## Material Safety Data Sheet

### RAXIL® MD FUNGICIDE

MSDS Number: 102000013084  
MSDS Version 2.2

soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>General Protection</b>	Follow all label instructions. Train employees in safe use of the product.  Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.
<b>Eye/Face Protection</b>	Tightly fitting safety goggles
<b>Hand protection</b>	Chemical resistant nitrile rubber gloves
<b>Body Protection</b>	Wear long-sleeved shirt and long pants and shoes plus socks.
<b>Respiratory protection</b>	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

### Exposure Limits

Tebuconazole	107534-96-3	OES BCS*	TWA	0.2 mg/m3
1,2-Propanediol	57-55-6	CAD ON OEL	TWAEV	50 ppm
		CAD ON OEL	TWAEV	10 mg/m3

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	red
<b>Physical State</b>	liquid suspension
<b>Odor</b>	weak characteristic
<b>pH</b>	6.5 - 8.5 (100 %)
<b>Vapor Pressure</b>	no data available
<b>Vapor Density (Air = 1)</b>	no data available
<b>Density</b>	1.03 g/cm <sup>3</sup> at 20 °C
<b>Evaporation rate</b>	no data available



## Material Safety Data Sheet

### RAXIL® MD FUNGICIDE

MSDS Number: 102000013084

MSDS Version 2.2

<b>Boiling Point</b>	no data available
<b>Melting / Freezing Point</b>	-10 °C / 14 °F
<b>Water solubility</b>	dispersible
<b>Minimum Ignition Energy</b>	no data available
<b>Partition coefficient: n-octanol/water</b>	no data available
<b>Viscosity</b>	4 - 20 mPa.s

## SECTION 10. STABILITY AND REACTIVITY

<b>Conditions to avoid</b>	Heat, flames and sparks.
<b>Incompatibility</b>	Oxidizing agents
<b>Hazardous Decomposition Products</b>	Thermal decomposition Carbon dioxide (CO <sub>2</sub> ) Carbon monoxide Nitrogen oxides (NO <sub>x</sub> )
<b>Chemical Stability</b>	Stable under normal conditions.

## SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the technical-grade active ingredients, tebuconazole and metalaxyl.

<b>Acute oral toxicity</b>	rat: LD50: > 5,050 mg/kg
<b>Acute dermal toxicity</b>	rabbit: LD50: > 5,050 mg/kg
<b>Acute inhalation toxicity</b>	rat: LC50: > 2.8 mg/l Exposure time: 4 h Determined in the form of liquid aerosol.
	rat: LC50: > 11.2 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
<b>Skin irritation</b>	rabbit: No skin irritation
<b>Eye irritation</b>	rabbit: Minimally irritating.



**Material Safety Data Sheet**

MSDS Number: 102000013084  
MSDS Version 2.2

**RAXIL® MD FUNGICIDE**

**Sensitisation** guinea pig: Non-sensitizing.

**Chronic toxicity** Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Metalaxyl caused liver effects in chronic studies in mice, rats and/or dogs.

**Assessment Carcinogenicity**

Tebuconazole caused an increased incidence of tumours in the liver of mice at high dose levels. The mechanism of tumour formation in the liver of the mice is not considered to be relevant to man.

Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH**

None.

**NTP**

None.

**IARC**

None.

**OSHA**

None.

**Reproductive toxicity** Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to general toxicity.

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats.

**Developmental Toxicity** Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

**Assessment neurotoxicity** Metalaxyl neurotoxicity studies are not required at this time.

**Mutagenicity** Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Metalaxyl was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

**SECTION 12. ECOLOGICAL INFORMATION**

**Environmental precautions** Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

**Ecological Information** Exposed treated seed may be hazardous to birds.



**Material Safety Data Sheet**

**RAXIL® MD FUNGICIDE**

MSDS Number: 102000013084  
MSDS Version 2.2

**SECTION 13. DISPOSAL CONSIDERATIONS**

**General Disposal Guidance** Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Open dumping is prohibited.

**Container Disposal** Do not re-use empty containers. Triple rinse containers. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.

**SECTION 14. TRANSPORT INFORMATION**

According to national and international transport regulations this material is not classified as dangerous goods / hazardous material.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

**SECTION 15. REGULATORY INFORMATION**

**PCP Registration No.** 27692

**US Federal Regulations**

**TSCA list**

1,2-Propanediol 57-55-6

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

None.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

None.

**US States Regulatory Reporting**

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

1,2-Propanediol 57-55-6 MN, RI

**Canadian Regulations**

**Canadian Domestic Substance List**



## Material Safety Data Sheet

### RAXIL® MD FUNGICIDE

MSDS Number: 102000013084  
MSDS Version 2.2

1,2-Propanediol

57-55-6

#### Environmental

##### CERCLA

None.

##### Clean Water Section 307 Priority Pollutants

None.

##### Safe Drinking Water Act Maximum Contaminant Levels

None.

#### International Regulations

##### European Inventory of Existing Commercial Substances (EINECS)

Metalaxyl

57837-19-1

## SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1

Flammability - 1

Instability - 0

Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1

Flammability - 1

Physical Hazard - 0

PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Reviewed and updated for general editorial purposes. The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 7: Handling and Storage. Section 16: Other Information.

Prepared by the HSE Department of Bayer CropScience Inc. (306)-721-0310.

Revision Date: 03/23/2012

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.