

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
102000036921

1/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE
Product code (UVP) 86212412
SDS Number 102000036921
PCP Registration No. 34245

Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc
#200, 160 Quarry Park Blvd, SE
Calgary, Alberta T2C 3G3
Canada
Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Acute toxicity(Inhalation): Category 4
Skin sensitisation: Category 1
Reproductive toxicity: Category 2

Labelling in accordance with Part 3 of the Hazardous Products Regulations



Signal word: Warning

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
102000036921

2/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

Hazard statements

Harmful if inhaled.
May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.

Precautionary statements

Avoid breathing mist/ vapours/ spray.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF ON SKIN: Wash with plenty of water/ soap.
If skin irritation or rash occurs: Get medical advice/ attention.
Specific treatment (see supplemental first aid instructions on this label).
Wash contaminated clothing before reuse.
IF exposed or concerned: Get medical advice/ attention.
Store locked up.
Protect from sunlight.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Component Name | CAS-No. | Concentration % by weight |
|---------------------------------|-------------|---------------------------|
| Imidacloprid | 138261-41-3 | 8.59 |
| Prothioconazole | 178928-70-6 | 1.47 |
| Metalaxyl | 57837-19-1 | 0.57 |
| Tebuconazole | 107534-96-3 | 0.29 |
| Ethoxylated tallow alkyl amines | 61791-26-2 | 4.83 |

SECTION 4: FIRST AID MEASURES

Description of first aid measures

| | |
|-----------------------|--|
| General advice | When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment. |
| Inhalation | Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately. |
| Skin contact | Immediately wash with plenty of soap and water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately. |

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
102000036921

3/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

| | |
|---|---|
| Eye contact | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately. |
| Ingestion | Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim unattended. |
| Most important symptoms and effects, both acute and delayed | |
| Symptoms | May cause allergic skin reaction. |
| Indication of any immediate medical attention and special treatment needed | |
| Treatment | Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. |

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

| | |
|-------------------|--|
| Suitable | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable | High volume water jet |

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Specific hazards from the substance or mixture which can increase the fire

| | |
|----------------------------------|--|
| Flash point | >104 °C No flash point - Determination conducted up to the boiling point. |
| Auto-ignition temperature | 430 °C / 806 °F |
| Lower explosion limit | No data available |
| Upper explosion limit | No data available |
| Explosivity | Not explosive 92/69/EEC, A.14 / OECD 113 |

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
10200036921

4/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing. Keep working clothes separately. Garments that cannot be cleaned must be destroyed (burnt).

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|--------------|-------------|-----------------------|--------|----------|
| Imidacloprid | 138261-41-3 | 0.7 mg/m ³ | | OES BCS* |

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
102000036921

5/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

| | | (TWA) | |
|-----------------|-------------|-----------------------------------|----------|
| Prothioconazole | 178928-70-6 | 1.4 mg/m ³ (SK-ABS) | OES BCS* |
| Tebuconazole | 107534-96-3 | 0.2 mg/m ³ (SK-ABS) | OES BCS* |

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Eye protection

Use tightly sealed goggles and face protection.

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|---------------------|---------------------------|
| Form | suspension |
| Colour | red |
| Odour | mild |
| Odour Threshold | No data available |
| pH | 7.2 - 8.8 (100 %) (23 °C) |
| Melting point/range | No data available |

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
102000036921

6/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

| | |
|---|--|
| Boiling Point | No data available |
| Flash point | > 104 °C No flash point - Determination conducted up to the boiling point. |
| Flammability | No data available |
| Auto-ignition temperature | 430 °C |
| Minimum ignition energy | No data available |
| Self-accelerating decomposition temperature (SADT) | No data available |
| Upper explosion limit | No data available |
| Lower explosion limit | No data available |
| Vapour pressure | No significant volatility. |
| Evaporation rate | No data available |
| Relative vapour density | No data available |
| Relative density | No data available |
| Density | 1.08 g/cm ³ (20 °C) |
| Water solubility | No data available |
| Partition coefficient: n-octanol/water | Imidacloprid: log Pow: 0.57 Prothioconazole: log Pow: 3.82 (20 °C) (pH 7) Tebuconazole: log Pow: 3.7 |
| Viscosity, dynamic | 15 - 40 mPa.s (20 °C) Velocity gradient 20 /s 10 - 35 mPa.s (20 °C) Velocity gradient 100 /s |
| Viscosity, kinematic | No data available |
| Oxidizing properties | No oxidizing properties |
| Explosivity | Not explosive 92/69/EEC, A.14 / OECD 113 |
| Other information | Further safety related physical-chemical data are not known. |

SECTION 10: STABILITY AND REACTIVITY

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
10200036921

7/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

| | |
|---|--|
| Reactivity | Stable under normal conditions. |
| Chemical stability | Stable under recommended storage conditions. |
| Possibility of hazardous reactions | No hazardous reactions when stored and handled according to prescribed instructions. |
| Conditions to avoid | Extremes of temperature and direct sunlight. |
| Incompatible materials | No incompatible materials known. |
| Hazardous decomposition products | No decomposition products expected under normal conditions of use. |

SECTION 11: TOXICOLOGICAL INFORMATION

| | |
|---|--|
| Exposure routes | Inhalation, Eye contact, Ingestion, Skin Absorption |
| Immediate Effects | |
| Eye | May cause temporary eye irritation. |
| Skin | May be harmful in contact with skin. May cause sensitisation by skin contact. |
| Ingestion | May be harmful if swallowed. |
| Inhalation | Harmful if inhaled. |
| Information on toxicological effects | |
| Acute oral toxicity | LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation. |
| Acute inhalation toxicity | LC50 (Rat) > 2.08 mg/l Exposure time: 4 h highest concentration tested Test conducted with a similar formulation. |
| Acute dermal toxicity | LD50 (Rat) > 2,000 mg/kg Test conducted with a similar formulation. |
| Skin corrosion/irritation | No skin irritation (Rabbit) Test conducted with a similar formulation. |
| Serious eye damage/eye irritation | Moderate eye irritation. (Rabbit) Test conducted with a similar formulation. |
| Respiratory or skin sensitisation | Skin: Sensitising (Guinea pig) OECD Test Guideline 429, local lymph node assay (LLNA) Test conducted with a similar formulation. |

Assessment STOT Specific target organ toxicity – single exposure

Imidacloprid: Based on available data, the classification criteria are not met.
Prothioconazole: Based on available data, the classification criteria are not met.
Metalaxyl: Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
102000036921

8/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

Tebuconazole: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.
Prothioconazole did not cause specific target organ toxicity in experimental animal studies.
Metalaxyl did not cause specific target organ toxicity in experimental animal studies.
Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Metalaxyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.
Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice.
Metalaxyl was not carcinogenic in lifetime feeding studies in rats and mice.
Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

ACGIH

None.

NTP

None.

IARC

None.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.
Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental toxicity.

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
102000036921

9/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

Metalaxyl did not cause reproductive toxicity in a multi-generation study in rats. Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity. Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity. Metalaxyl did not cause developmental toxicity in rats and rabbits. Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
Acute toxicity studies have not been performed on this product as formulated.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient imidacloprid.

LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient prothioconazole.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient imidacloprid.

EC10 (Chironomus riparius (non-biting midge)) 0.00209 mg/l
Exposure time: 28 Days
The value mentioned relates to the active ingredient imidacloprid.

EC50 (Daphnia magna (Water flea)) 1.3 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient prothioconazole.

Toxicity to aquatic plants

EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l
Exposure time: 72 h

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
102000036921

10/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

The value mentioned relates to the active ingredient imidacloprid.

IC50 (Raphidocelis subcapitata (freshwater green alga)) 2.18 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

Biodegradability

Imidacloprid:

Not rapidly biodegradable

Prothioconazole:

Not rapidly biodegradable

Metalaxyl:

Not rapidly biodegradable

Tebuconazole:

Not rapidly biodegradable

Koc

Imidacloprid: Koc: 225

Prothioconazole: Koc: 1765

Metalaxyl: Koc: 163

Tebuconazole: Koc: 769

Bioaccumulation

Imidacloprid:

Does not bioaccumulate.

Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

Metalaxyl: Bioconcentration factor (BCF) < 7

Does not bioaccumulate.

Tebuconazole: Bioconcentration factor (BCF) 35 - 59

Does not bioaccumulate.

Mobility in soil

Imidacloprid: Moderately mobile in soils

Prothioconazole: Slightly mobile in soils

Metalaxyl: Moderately mobile in soils

Tebuconazole: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment

Imidacloprid: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Prothioconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Metalaxyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Environmental precautions

Apply this product as specified on the label.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.

Do not allow to get into surface water, drains and ground water.

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
102000036921

11/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
Do not contaminate water, food, or feed by disposal.
Incineration in a special incineration plant in accordance with the local waste regulation authority.
Follow all local/regional/national/international regulations.

Contaminated packaging Follow advice on product label and/or leaflet.
Do not re-use empty containers.
Triple rinse containers.
Puncture container to avoid re-use.
Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.
If burned, stay out of smoke.

SECTION 14: TRANSPORT INFORMATION

TDG

| | |
|----------------------|--|
| UN number | 3082 |
| Labels | 9 |
| Packaging group | III |
| Marine pollutant | Marine pollutant |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID) |

49CFR

Not dangerous goods / not hazardous material

IMDG

| | |
|----------------------|---|
| UN number | 3082 |
| Class | 9 |
| Packaging group | III |
| Marine pollutant | YES |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION) |

IATA

| | |
|--------------------------|------|
| UN number | 3082 |
| Class | 9 |
| Packaging group | III |
| Environm. Hazardous Mark | YES |

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

Version 2.0 / CDN
10200036921

12/13
Revision Date: 08/28/2022
Print Date: 08/29/2022

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(IMIDACLOPRID SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 34245

PMRA Information:

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.
Potential skin sensitizer.
Eye irritant.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

| | |
|-------|---------------------------------------|
| 49CFR | Code of Federal Regulations, Title 49 |
| ACGIH | US. ACGIH Threshold Limit Values |
| ATE | Acute toxicity estimate |

SAFETY DATA SHEET



RAXIL® PRO SHIELD INSECTICIDE AND FUNGICIDE

13/13

Version 2.0 / CDN
10200036921

Revision Date: 08/28/2022
Print Date: 08/29/2022

| | |
|---------|---|
| CAS-Nr. | Chemical Abstracts Service number |
| CERCLA | Comprehensive Environmental Response, Compensation, and Liability Act |
| EINECS | European inventory of existing commercial substances |
| ELINCS | European list of notified chemical substances |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| N.O.S. | Not otherwise specified |
| NTP | US. National Toxicology Program (NTP) Report on Carcinogens |
| OECD | Organization for Economic Co-operation and Development |
| TDG | Transportation of Dangerous Goods |
| TWA | Time weighted average |
| UN | United Nations |
| WHO | World health organisation |

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 08/28/2022

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.