

1/12

TILMOR 240 EC FUNGICIDE®

Version 2.0 / CDN Revision Date: 10/21/2020 102000016049 Print Date: 10/21/2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name TILMOR 240 EC FUNGICIDE®

Product code (UVP) 79047584, 86216876

SDS Number 102000016049

PCP Registration No. 33825

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer CropScience Inc

#200, 160 Quarry Park Blvd, SE Calgary, Alberta T2C 3G3

Canada

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-888-283-6847

SECTION 2: HAZARDS IDENTIFICATION

Classified in accordance with Part 2 of the Hazardous Products Regulations

Skin sensitisation: Category 1 Reproductive toxicity: Category 2 Eye irritation: Category 2A

Specific target organ toxicity - single exposure: Category 3

Acute toxicity(Inhalation): Category 4

Labelling in accordance with Part 3 of the Hazardous Products Regulations





Signal word: Warning



2/12

TILMOR 240 EC FUNGICIDE®

 Version 2.0 / CDN
 Revision Date: 10/21/2020

 102000016049
 Print Date: 10/21/2020

Hazard statements

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Causes serious eye irritation.

May cause respiratory irritation.

Harmful if inhaled.

Precautionary statements

Avoid breathing mist/ spray.

Contaminated work clothing should not be allowed out of the workplace.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

IF ON SKIN: Wash with plenty of water/ soap.

If skin irritation or rash occurs: Get medical advice/ attention.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Protect from sunlight.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Prothioconazole	178928-70-6	8.16
Tebuconazole	107534-96-3	16.3
N,N-Dimethyl decanamide	14433-76-2	59.3

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.



TILMOR 240 EC FUNGICIDE®

Version 2.0 / CDN Revision Date: 10/21/2020 102000016049 Print Date: 10/21/2020

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. Take

off contaminated clothing and shoes immediately. Call a physician or

poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

In the event of fire the following may be released:, Hydrogen chloride (HCl), Nitrogen oxides (NOx), Hydrogen cyanide (hydrocyanic acid),

Carbon monoxide (CO), Sulphur oxides

Advice for firefighters

Special protective equipment for firefighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Fight fire from upwind position. Keep out of smoke. Cool closed

containers exposed to fire with water spray. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 100 °C

Auto-ignition temperature370 °C / 698 °FLower explosion limitNo data availableUpper explosion limitNo data available



TILMOR 240 EC FUNGICIDE®

 Version 2.0 / CDN
 Revision Date: 10/21/2020

 102000016049
 Print Date: 10/21/2020

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in

suitable, closed containers for disposal.

Additional advice Use personal protective equipment. If the product is accidentally

spilled, do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handlingUse only in area provided with appropriate exhaust ventilation. Handle

and open container in a manner as to prevent spillage.

Advice on protection against fire and explosion

No special precautions required.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original container. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

Advice on common storage Keep away from food, drink and animal feedingstuffs.



TILMOR 240 EC FUNGICIDE®

Version 2.0 / CDN Revision Date: 10/21/2020 102000016049 Print Date: 10/21/2020

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Prothioconazole	178928-70-6	1.4 mg/m3 (SK-ABS)		OES BCS*
Tebuconazole	107534-96-3	0.2 mg/m3 (SK-ABS)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Tightly fitting safety goggles

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form Liquid, clear to slightly turbid

Colouryellow to brownOdourcharacteristicOdour ThresholdNo data available

pH 5.0 - 7.0 (1 %) (23 °C) (deionized water)

Melting point/rangeNo data availableBoiling PointNo data available

Flash point $> 100 \,^{\circ}\text{C}$

Flammability No data available

Auto-ignition temperature 370 °C



TILMOR 240 EC FUNGICIDE®

Version 2.0 / CDN Revision Date: 10/21/2020 102000016049 Print Date: 10/21/2020

Minimum ignition energy No data available Self-accelarating

decomposition temperature

(SADT) **Upper explosion limit** No data available

No data available Lower explosion limit No data available Vapour pressure No data available **Evaporation rate** No data available Relative vapour density No data available Relative density No data available

ca. 0.98 g/cm³ (20 °C) Density

Water solubility dispersible

Partition coefficient: n-

octanol/water

Prothioconazole: log Pow: 3.82 (20 °C) (pH 7)

Tebuconazole: log Pow: 3.7

N,N-Dimethyldecanamide: log Pow: 2.46

Viscosity, dynamic No data available Viscosity, kinematic No data available **Surface tension** 25 mN/m (25 °C)

Oxidizing properties No oxidizing properties

Explosivity Not explosive

92/69/EEC, A.14 / OECD 113

Other information Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Stable under normal conditions.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No hazardous reactions when stored and handled according to

prescribed instructions.



TILMOR 240 EC FUNGICIDE®

Version 2.0 / CDN Revision Date: 10/21/2020 102000016049 Print Date: 10/21/2020

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No incompatible materials known.

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Skin contact, Eye contact, Inhalation, Ingestion

Immediate Effects

Causes eve irritation. Eye

Skin May cause sensitisation by skin contact.

Inhalation May be harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) > 2,500 mg/kgAcute inhalation toxicity LC50 (Rat) 4.969 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

Irritating to respiratory system.

The data refer to N,N-Dimethyldecanamid.

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kgSkin corrosion/irritation Irritating to skin. (Rabbit) Serious eye damage/eye Irritating to eyes. (Rabbit)

irritation

Respiratory or skin Skin: Sensitising (Mouse)

OECD Test Guideline 429, local lymph node assay (LLNA) sensitisation

Assessment STOT Specific target organ toxicity - single exposure

Prothioconazole: Based on available data, the classification criteria are not met.

N,N-Dimethyldecan-1-amide: May cause respiratory irritation.

Assessment STOT Specific target organ toxicity - repeated exposure

Prothioconazole did not cause specific target organ toxicity in experimental animal studies. Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

N,N-Dimethyldecanamide did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Prothioconazole was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

N,N-Dimethyldecanamide was not genotoxic in a battery of in vitro tests.



TILMOR 240 EC FUNGICIDE®

Version 2.0 / CDN Revision Date: 10/21/2020 102000016049 Print Date: 10/21/2020

Assessment carcinogenicity

Prothioconazole was not carcinogenic in lifetime feeding studies in rats and mice. Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man. N,N-Dimethyldecanamide is not considered carcinogenic.

ACGIH
None.
NTP
None.
IARC
None.
OSHA
None.

Assessment toxicity to reproduction

Prothioconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Prothioconazole is related to parental

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental

N.N-Dimethyldecanamide is not considered a reproductive toxicant at non-maternally toxic dose levels.

Assessment developmental toxicity

Prothioconazole caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Prothioconazole are related to maternal toxicity.

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

N,N-Dimethyldecanamide did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 1.83 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient prothioconazole.



TILMOR 240 EC FUNGICIDE®

 Version 2.0 / CDN
 Revision Date: 10/21/2020

 102000016049
 Print Date: 10/21/2020

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.4 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic invertebrates

LC50 (Daphnia magna (Water flea)) 1.3 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient prothioconazole.

LC50 (Daphnia magna (Water flea)) 2.79 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient tebuconazole.

Chronic toxicity to aquatic

invertebrates

NOEC (Daphnia (water flea)): 0.01 mg/l

Exposure time: 21 d

The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants EC50 (Navicula pelliculosa (Freshwater diatom)) 1.43 mg/l

Growth rate; Exposure time: 72 h

EC50 (Skeletonema costatum) 0.86 mg/l

Growth rate; Exposure time: 72 h

ErC50 (Skeletonema costatum) 0.03278 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

EC10 (Skeletonema costatum) 0.01427 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient prothioconazole.

Biodegradability Prothioconazole:

Not rapidly biodegradable

Tebuconazole:

Not rapidly biodegradable N,N-Dimethyldecanamide: rapidly biodegradable

Koc Prothioconazole: Koc: 1765

Tebuconazole: Koc: 769

Bioaccumulation Prothioconazole: Bioconcentration factor (BCF) 19

Does not bioaccumulate.

Tebuconazole: Bioconcentration factor (BCF) 35 - 59

Does not bioaccumulate. N,N-Dimethyldecanamide: Does not bioaccumulate.

Mobility in soil Prothioconazole: Slightly mobile in soils

Tebuconazole: Slightly mobile in soils

N,N-Dimethyldecanamide: Slightly mobile in soils

Results of PBT and vPvB assessment

PBT and vPvB assessment Prothioconazole: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).



10/12

TILMOR 240 EC FUNGICIDE®

Version 2.0 / CDN Revision Date: 10/21/2020 102000016049 Print Date: 10/21/2020

Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

N,N-Dimethyldecanamide: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

Additional ecological

information

No other effects to be mentioned.

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Dispose in accordance with all local, state/provincial and federal

regulations.

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

SECTION 14: TRANSPORT INFORMATION

TDG

UN number 3082
Labels 9
Packaging group III

Marine pollutant Marine pollutant

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(TEBUCONAZOLE, PROTHIOCONAZOLE)

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)

IATA

UN number 3082



TILMOR 240 EC FUNGICIDE®

Version 2.0 / CDN Revision Date: 10/21/2020 102000016049 Print Date: 10/21/2020

Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(TEBUCONAZOLE, PROTHIOCONAZOLE SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Further Information Exempt from regulation when transported by road or rail, in

accordance with TDG Regulations 1.45.1.

This exemption provides that this product does not require dangerous goods shipping documentation or safety marks

when transported on land by road or rail.

SECTION 15: REGULATORY INFORMATION

PCP Registration No. 33825

PMRA Information:

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Signal word: Danger!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

Causes moderate eye irritation. May cause skin irritation.

Potential skin sensitizer.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49



TILMOR 240 EC FUNGICIDE®

Version 2.0 / CDN Revision Date: 10/21/2020 102000016049 Print Date: 10/21/2020

ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 1: Chemical Product and Company Information. Section 12. Ecological information. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 10/21/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.